

Chapter 13 Fish Stock Propagation

Contributors: Kai Lorenzer, Stephen Smith, Michael Banks, Changk Zhang,
Zacharie Soh, W. N. Sanjeevan, Andrew Rosenberg (Lead Member)

1. Definition

Fish stock propagation, more commonly known as fishery enhancements, is the provision of artificial fish under controlled conditions. "Fisheries" refers to the harvesting of fish and other aquatic organisms from natural ecosystems, which are ecosystems that are truly natural or modified by human activities. They occupy an intermediate position between capture fisheries and management control (Andersen et al., 2010). The present chapter focuses primarily on the management of fish stocks, the most common form of fishery enhancement.

the focal ecosystem

and economic damage. Incentives for stakeholders or management agencies to engage in enhancement activities can exist even in the absence of evidence of technical effectiveness, and once investments have been made and stakeholders have become vested, it becomes increasingly difficult to discontinue

3.4 Stock dynamics and management

Quantitative assessment of stock dynamics and the potential of enhancement as well as alternative management options, such as harvest restrictions, to contribute to stock management objectives is important at all stages of enhancement initiatives (Caddy and Defeo 2003; Walters and Martell, 2004; Lorenzen 2005). Different considerations apply to ranching, stock enhancement and restocking systems (Table 2). In ranching systems where maintaining natural recruitment is not a management goal, stock structure could be manipulated to maximize biomass production in food fisheries or to maximize abundance of 'catchable' size fish in and take recreational fisheries. In stock enhancement systems where cultured fish are released into wild populations, it would be desirable to manage stocking and harvesting activities as to limit negative impacts on naturally recruiting stock components which may arise from compensatory biological responses to stocking or from overfishing of the natural spawning stock (Hilborn and Eggers 2000; Lorenzen 2005). Such effects may reduce or eliminate net benefits from enhancement and pose conservation threats to wild stocks. Impacts of enhancements on wild stocks could be reduced by separating the cultured and wild population components as far as technically possible at the point of stocking, and through differential harvesting and possibly induced sterility of cultured fish (Lorenzen, 2005; Naish et al, 2007; Moberg et al, 2005). According to these authors, restocking is likely to be advantageous over natural recovery only for populations that have been depleted to a very low fraction of their carrying capacity and requires concomitant reductions in fishing effort (Lorenzen 2005). Fisheries models and assessment tools now available to conduct such quantitative assessment at all stages in the development or reform of enhancements.

2011). The ICES Code of Practice on the Introductions and Transfers of Marine Organisms (ICES, 2005) is widely accepted and applies to introductions carried out for the purpose of fisheries enhancements

5. Future trends

Enhancements are likely to become more widespread as burgeoning demand for seafood and increasingly severe human impacts on the coastal oceans create greater demand for proactive management, aquaculture technologies become available for an ever-increasing number of marine species, and governance arrangements for many fisheries move towards rights-based systems that provide strong incentives for investment in resources (Lorenzen et al. 2013). Greater scientific and management attention to enhancements is required to aid the development of potentially effective initiatives and to avoid widespread investment in ineffective or damaging

Table 1. Elements of the updated “responsible approach” to fishery enhancement (Lorenzen et al. 2010).

<p><u>Stage I: Initial appraisal and goal setting</u></p> <ul style="list-style-type: none">(1) Understand the role of enhancement within the fishery system(2) Engage stakeholders and develop a rigorous and accountable decision making process(3) Quantitatively assess contributions of enhancement to fisheries management goals(4) Prioritize and select target species and stocks for enhancement(5) Assess economic and social benefits and costs of enhancement <p><u>Stage II: Research and technology development including pilot studies</u></p> <ul style="list-style-type: none">(6) Define enhancement system designs suitable for the fishery and management objectives(7) Design appropriate aquaculture systems(8) Use genetic resource management to avoid deleterious genetic effects(9) Use disease and health management(10) Ensure that released hatchery fish can be identified(11) Use an empirical process for defining optimal release strategies <p><u>Stage III: Operational implementation and adaptive management</u></p> <ul style="list-style-type: none">(12) Devise effective governance arrangements(13) Define a stock management plan with clear goals, measures of success and decision rules(14) Assess and manage ecological impacts(15) Use adaptive management
--

Table 2. Design criteria for biological/technical components of marine enhancement fisheries systems serving different objectives (adapted from Lorenzen et al. 2012).

	Sea ranching	Stock enhancement	Restocking
Aim of enhancement	Increase fisheries catch	Increase fisheries catch while conserving or increasing naturally recruiting stock	Rebuild depleted wild stock to higher abundance
Wild population status	Absent or insignificant	Numerically large Possibly depleted relative to carrying capacity	Numerically large or small Depleted relative to carrying capacity
Aquaculture management	Production oriented Partial domestication Conditioning for release Possibly induced sterility	Integrated programmes as for restocking Separate programmes as for sea ranching	Conservation oriented Minimize domestication Conditioning for release
Genetic management	Maintain genetic diversity Selection for high return	Integrated programmes as for restocking Separate programmes as for sea ranching; also selection to promote separation	

References

- Anderson, J.L. (2002). Aquaculture and the future: why fisheries economists should care. *Marine Resource Economics* 15: 133-151.
- Arnason, R. (2001). The economics of ocean ranching: experiences, outlook and theory. *FAO Fisheries Technical Paper* 413. Rome: Food and Agriculture Organization of the United Nations.
- Araki, H., Berejikian, B.A., Ford, M., and Blouin, M.S. (2008). Fitness of hatchery-reared salmonids in the wild. *Evolutionary Applications* 1: 342-355.
- Bartley, D.M., Bondad-Reantaso, M.G. and Subasinghe, R.P. (2006). A risk analysis framework for aquatic animal health management in marine stock enhancement programmes. *Fisheries Research* 80: 28-36.
- Baskett, M.L. and Waples, R.S. (2013). Evaluating alternative strategies for minimizing unintended fitness consequences of cultured individuals on wild populations. *Conservation Biology* 27: 83-94.
- Bell, J.D., Leber, K.M., Blankenship, H.L., Loneragan, N.P. and Masuda, R. (2008). A new era for restocking, stock enhancement and sea ranching of coastal fisheries resources. *Reviews in Fisheries Science* 16: 1-9.
- Blankenship, H. and Leber, K.M. (1995). A responsible approach to marine stock enhancement. *American Fisheries Society Symposium* 15: 167-175.
- Born, A.F., Immink, A. and Bartley, D.M. (2004). Marine and coastal stocking: global status and information needs. *FAO Fisheries Technical Paper* 429. Rome: Food and Agriculture Organization of the United Nations. pp. 18.
- Brown, C. and Day, R.L. (2002). The future of enhancements: lessons for hatchery practice from conservation biology. *Fish & Fisheries* 3: 79-94.
- Caddy, J.F. and Defeo, O. (2003). Enhancing or restoring the productivity of natural populations of shellfish and other marine invertebrate resources. *FAO Fisheries Technical Paper* 448. Rome: Food and Agriculture Organization of the United Nations. pp. 159.
- Costello, M.J. (2014). Long live Marine Reserves: A review of experiences and benefits. *Biological Conservation* 176: 289-296.
- Crawford, S. (2001). Salmonine introductions to the Laurentian Great Lakes: an historical review and evaluation of ecological effects. *Canadian Special Publication of Fisheries and Aquatic Sciences* 32: 205 pp.
- Drummond, K. (2004). The role of stock enhancement in the management framework for New Zealand's southern scallop fishery. In: Leber, K.M., Kitada, S., Blankenship H.L., and Svåsand, T., editors. *Stock Enhancement and Sea Ranching: (h*

- Whitelaw, C.B.A., editors. Sustainable Food Production. New York, NY: Springer Sciencepp. 11394157.
- Leleu K, RemyZephir B., GracçR, andCostello M.J.(2012) Mapping habitat change after 30 years in a marine reserve shows how fishing can alter ecosystem structure. *Biological Conservation*155:193–201.
- Le VayL., Carvalho, G.R., Quintio, E.T., Leбата, J.H., Ut, V.N., andH. (2007). Quality of hatcheryreared juveniles for marine fisheries stock enhancement. *Aquaculture*268:169-180.
- Lorenzen, K. (2005). Population dynamics and potential of fishstock enhancement: practical theory for assessment and policy analysis. *Philosophical Transactions of the Royal Society*360 171-189.
- Lorenzen, K. (2008). Understanding and managing enhancement fisheries systems. *Reviews in Fisheries Science*16:10-23.
- Lorenzen, K. (2014) Understanding and managing enhancements: why fisheries scientists should care. *Journal of Fish Biology*18671829.
- Lorenzen, K., Leber, K., andBlankenship, H.L. (2010). Responsible approach to marine stock enhancement: an update. *Reviews in Fisheries Science*18:189-210.
- Lorenzen, K., Beveridge, M.C., andMangel, M. (2012). Cultured fish: integrative biology and management of domestication and interactions with wild fish. *Biological Reviews*87: 639-660.
- Lorenzen, K., Agnalt, A.L. Blankenship, H.L. Hines, A.H., Leber, L.M., Loneragan, N.R. Taylor, M.D. (2013). Evolving context and maturing science: aquaculture based enhancement and restoration enter the marine fisheries management toolbox. *Reviews in Fisheries Science*21: 213-221.
- Michael, J.H., Appleby, A., and Barr, J. (2009). Use of the AHA model in Pacific salmon recovery, hatchery, and fishery planning. *American Fisheries Society Symposium* 71:455-464.
- Miller, L.M, Kapuscinski, A.R. (2003). Genetic guidelines for hatchery supplementation programmes In: Hallerman, E.M., editor. *Population Genetics: Principles and Applications for Fisheries Scientists*. Bethesda, MD: American Fisheries Society. pp. 329-355.
- Mobrand, L.E., Barr, J., Blankenship, L., Campton, D.E., Evelyn, T.T., Flagg, T.A., Mahnken, C.V.W, Seeb, L.W., Seidel, P., andSmoker, W.W. (2005). Hatchery reform in Washington State: principles and emerging issues. *Fisheries*30:11-23.
- Naish, K.A., Taylor, J.Eevin, P.S., Quinn, T.P., Winton, J., Roper, D., andHilborn, R. (2007). An evaluation of the effects of conservation and fishery enhancement

hatcheries on wild populations of salmon. *Advances in Marine Biology* 50:61-194.

Nicholas, J.W. and Hankin, D.G. (1989) Chinook salmon populations in Oregon coastal river basins: description of life histories and assessment of recent trends in run strengths. Corvallis: Oregon State University Extension Service. 359 pp.

NMFS 2000 Viable Salmonid Populations and the Recovery of Evolutionarily Significant Units. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFS-42. Seattle: Northwest Fisheries Center.

ODFW (1998) Fish Propagation Annual Report for 1997. Salem, Oregon Department of Fish and Wildlife.

Olla, B.L., Davis, M.W., and Ryer, C.H. (1998). Understanding how the hatchery environment represses or promotes the development of behavioral survival skills. *Bulletin of Marine Science* 62:31-550.

Paquet, P.J., Flagg, T., Appleby, A., Barr, J., Blankenship, L., Campton, D., Delarm, M., Evelyn, T., Fast, D., Gislason, J. Kline, P., Maynard, D., Mobrand, L., Nandor, G., Seidel, B., and Smith, B. (2014) *Stocking, Hatcheries, and the Future of Salmon Fisheries—achieving multiple goals: results of the Hatchery Scientific Review Group's Columbia River basin review.* *Fisheries* 39:547-561.

Pinkerton, E. (1994). Economic and management benefits from the coordination of capture and culture fishery

Zhang, C.I., Kim, S., Sunderson D., Marasco, R., Lee, J.B, Park, H.W, and Lee J.H.
(2009) An ecosystem based fisheries assessment approach for Korean fisheries.
Fisheries Research 100: 26-41.