(b) Human-induced mortality and physical disturbance of marine biota (such as capture fisheries, including by-catch), other forms of harvesting, accidental deaths such as through collisions and entanglement in discarded nets, disturbance of critical habitat, including breeding and nursery areas);

(c) Inputs to the ocean (these can be broken down according to the nature of their effects: toxic substances and endocrine disruptors, waterborne pathogens, radioactive substances, plastics, explosives, excessive nutrient loads, hydrocarbons). Remobilization of past inputs also needs to be considered;

(d) Demand for ocean space and alteration, or increase in use, of coasts and (d

inputs to the ocean). Demand for ocean space and alteration of coasts and seabed

GOAL	SUB-GOAL	REFERENCE POINT TYPE AND BRIEF DE

kinds have to be used instead. The scale of the expert judgements needed means

to maintain that state, or to achieve it by 2020, should then be established by 2015. A preliminary report by the European Commission suggests that much work remains to be done to deliver this programme, and agreement on the relative or absolute benchmarks for good environmental status on many of the descriptors has not been reached (EU, 2014).

Table 3. Descriptors of Good Environmental Quality for the European Union Marine Strategy Framework Directive

DESCRIPTOR	TITLE	DETAIL
1	Biodiversity	Biological diversity is maintained. The quality and occurrence of habitats and the distribution and abundance of species are in line with prevailing physiographic, geographic and climatic conditions.
2	Non-indigenous species	Non-indigenous species (NIS) introduced by human activities are at levels that do not adversely alter the ecosystems.
3	Fish and Shellfish stocks	Populations of all commercially exploited fish and shellfish are within safe biological limits, exhibiting a population age and size distribution that is indicative of a healthy stock.
4	Food webs	All elements of the marine food webs, to the extent that they are known, occur at normal abundance and diversity and levels capable of ensuring the long-term abundance of the species and the retention of their full reproductive capacity.
5	Eutrophication	Human-induced eutrophication is minimised, especially adverse effects thereof, such as losses in biodiversity, ecosystem degradation, harmful algae blooms and oxygen deficiency in bottom waters.
6	Benthos	Sea floor integrity is at a level that ensures that the structure and functions of the ecosystems are safeguarded and benthic ecosystems, in particular, are not adversely affected.
7	Hydrography	Permanent alteration of hydrographical conditions does not adversely affect marine ecosystems.
8	Contaminants	Concentrations of contaminants are at levels not giving rise to pollution effects.
9	Fish and seafood quality	Contaminants in fish and other seafood for human consumption do not exceed levels established by Community legislation or other relevant standards.
10	Marine litter	

No	Pressures from Human Activities[1]	See	Impacts on Environmental Aspects of the Marine Environment	Impacts on Socioeconomic Aspects of the Marine Environment	Mgt[2]
2	**Changes in sea temperature**	Ch 4 Ch 5 Ch 7 Ch 34 Ch 36 A-H Ch 42-50 Ch 43 Ch 15	Increased sea-surface temperature will probably increase stratification and thus affect nutrient cycling, with effects on productivity. Changes in species distribution and productivities, bottom up ecosystem productivity and community structure. Coral bleaching. Reduction of sea-ice cover in Arctic and Antarctic will impair species dependent on that habitat.	Adverse changes in weather patterns, including increased storms in higher latitudes. Fisheries and aquaculture potential may have to relocate or change preferred species. Changes in high latitude temperature regimes increase access for many industries with the potential for major impacts on Arctic communities.	Not yet
3	**Changes in the salinity of seawater** (arising from climate change)	Ch 4 Ch 6 Ch15 Ch 34 Ch 36 A-G	Changes to the thermohaline circulation of the ocean, in some places leading to increased up-welling of nutrients (see also Item 14). Increased likelihood of stratification of seawater, with consequent adverse effects on primary production that supports fish and seabirds.	Potential fundamental changes in availability of fishery resources with implications for food security and other important ecosystem services. Changes in currents may alter the way that ocean moves heat around the planet, with widespread consequences	Not yet
4	**Creation of underwater noise** (arising from shipping, offshore prospecting, offshore renewable energy installations and tourism and recreation)	Ch 17 Ch 21 Ch 22 Ch 23 Ch 27 Ch 36 Ch 37	Disturbance of fish, macro-invertebrates, and marine mammals. Mortality due to noise rare but disruption of behaviour may have consequences for life history activities including feedin		

NO	PRESSURES FROM HUMAN ACTIVITIES[1]	SEE	IMPACTS ON ENVIRONMENTAL ASPECTS OF THE MARINE ENVIRONMENT	I

No	Pressures from Human Activities[1]	See	Impacts on Environmental Aspects of the Marine Environment	Impacts on Socioeconomic Aspects of the Marine Environment	Mgt[2]
8	**Increased ultra-violet radiation** (arising from reductions in ozone layer)	Ch 6	Possible adverse effects on primary production and on fish larvae. Effects on titanium dioxide nanoparticles, creating biocides affecting phytoplankton, and thus potentially the food web.	Potential effects on harvesting if fish stocks are affected.	Yes[3]
9	**Input of explosives and hazardous gases in containers** (from dumping)	Ch 24	Additional source of hazardous substances and seabed smothering: see Items 12 and 17.	Harm to fishers who catch such dumped material in their nets, and to pipeline- and cable-laying in affected areas.	Yes
10	**Input of hydrocarbons** (from land-based sources, offshore installations, pipelines and shipping)	Ch 12 Ch 17 Ch 19 Ch 20 Ch 21 Ch 23 Ch 27 Ch 37 Ch 38 Ch 39	Killing of benthic biota, fish, marine mammals and reptiles and sea birds. Adverse effects on their later reproductive success.	Consequent damage to aquaculture and fisheries. Fouling of beaches and consequent adverse impact on tourism	Yes
11	**Input of nutrients, both airborne and water-borne** (arising from land-based activities, shipping, solid waste disposal).	Ch 6 Ch 12 Ch 17 Ch 20 Ch 24 Ch 25 Ch 27 Ch 36 A-H Ch 43 Ch 44 Ch 48	Coastal eutrophication, leading to dead zones, hypoxic zones and algal blooms (including toxic algal blooms). Shifts of ecosystem regimes. Consequent loss of benthic diversity and adverse effects on fish and shellfish stocks and on seabirds and marine mammals and reptiles. Algal smothering of coral reefs	Adverse effects on human health, especially through shell-fish poisoning and waterborne pathogens. Adver	

No	Pressures from Human Activities[1]	See	Impacts on Environmental Aspects of the Marine Environment	Impacts on Socioeconomic Aspects of the Marine Environment	Mgt[2]
12	**Input of plastics** (from shipping, fishing, offshore installations, poor control of land-based waste disposal, dumping).	Ch 6 Ch 11 Ch 17 Ch 24			

No	Pressures from Human Activities[1]	See	Impacts on Environmental Aspects of the Marine Environment	Impacts on Socioeconomic Aspects of the Marine Environment	Mgt[2]
17	**Physical alteration of sea-bed habitats** (arising from bottom-fishing, aquaculture, dredging for shipping, ports, submarine cables and pipelines, offshore hydrocarbon industries and mining, coastal defences, land reclamation, solid waste disposal and tourism and recreation).	Ch 11 Ch 12 Ch 18 Ch 19 Ch 21 Ch 22 Ch 23 Ch 24 Ch 27 Ch 36 A-H Chs 42-50	Direct mortality by physical impacts or smothering. Reduction in three-dimensional habitat structure can reduce biodiversity and productivity. Disturbance of sediments can reduce water quality and/or release contaminants, also impacting biotic communities and populations.	Costs of reducing impacts: some activities necessarily require habitat impacts as part of the business (mining, aggregate extraction); other activities result in habitat	

FAO (2012). The State of the World Fisheries and Aquaculture 2012. Rome.