


Progress Towards the Child Mortality MDG in Urban Sub-Saharan Africa


Nyovani Janet Madise
University of Southampton

*United Nations Expert group Meeting on Population
Distribution, Urbanization, Internal Migration and
Development, 21-23 January 2008*




Purpose

Examine trends in urban childhood mortality in Sub-Saharan Africa and the linkages to urban growth, access to safe water & vaccination coverage





Child Mortality in Developing Countries


Under-five mortality rates in developing regions, 2006




Progress Towards MDG 4




Source of data: UNICEF, 2007





Child Health in Urban Areas


- Traditionally ‘urban advantage’ in child health
- Growth of urban poor → diminishing ‘urban advantage’
 - Madise & Diamond (1995)
 - Brockerhoff 1998
 - Gould (1998)
 - Fotso (2007) etc




Macro Analyses: Methods

- DHS data from 22 sub-Saharan African countries
 - Surveys between 1990s and 2000s
- Average annual rate of change (AARC)
 - Urban under-five mortality
 - Urban households with access to piped water
 - Children (1-2 years) who are fully immunized
- Average annual urban population growth between 1980-2000 (UN Population Division)

Change in under-five mortality in 22 African countries, 1990s and 2000s-8










Case Study 1: Kenya






Deterioration of Sanitation and Health: Kenya, 1990s-2000s







Case Study 2: Zambia

- Analysis of DHS 1992 & 1996 to examine trends in child mortality
(Madise et al. 2003)
- Interaction of urban/rural residence and socio-economic status
 - Rural mortality higher than urban BUT
 - Urban poorest had highest mortality risks




Access to water and vaccination in Zambia, 1992-2002







Limitations

- Problems of identifying slums in DHS samples
- Small urban samples à smaller samples of slum vs non-slum
 - Larger samples needed to look at intra-urban differentials
- Omission of outlying observations in macro analyses



Conclusion

- Growing poverty in urban areas
- Narrowing gap between urban and rural health outcomes



Thank You